

20  
25

TECHNO  
BOOTS



PRODUCT CATALOGUE

PASSION MEETS PROFESSION

TECHNO  
BOOTS

+90 282 613 32 15 info@cmfboots.com techno\_boots www.techno-boots.com

Cedit Alipaşa Mah. Seymen Yolu Üzeri 1 Km No:9 Marmaraereğlisi / Tekirdağ / TÜRKİYE

www.techno-boots.com

## COMPANY HISTORY

	2013	<b>FIRST FACTORY</b> Foundation CMF AYAKKABICILIK SAN. VE TIC. A.Ş., capacity 150.000 pairs per year
	2013	<b>CERTIFICATION</b> Troya Boots model launch CE and ISO certification
	2014	<b>FIRST EXPORT</b> Export to 8 European countries
	2015	<b>TPU SOLE</b> Techno Boots brand registry. First TROYA model with TPU sole
	2016	<b>SECOND DESMA PU MACHINE</b> Relocation in Istanbul, capacity 350.000 pairs per year
	2017	<b>MILESTONE EXPORT</b> Export to 23 countries
	2018	<b>NEW MODELS</b> Techno JOBMASTER TPU model launch
	2019	<b>NEW MODELS</b> Techno THERMO model launch
	2020	<b>MORE INTERNATIONAL CERTIFICATES</b> UKCA Certification and export to over 50 countriesUKCA certification
	2022	<b>NEW FACTORY</b> Relocation to new factory.
	2023	<b>FOCUS</b> on environmental standards
	2024	<b>NEW MODELS</b> Techno SUPERTHERMO model launch and boots with composite Protection
	2024	<b>SECOND MAINGROUP PU MACHINE</b> Relocation in Tekirdağ, capacity 600.000 pairs per year

### ABOUT US

TECHNO BOOTS® is a registered trademark of CMF AYAKKABICILIK SAN.VE TIC A.Ş. in Turkey. Techno Boots is built on a foundation of 25 years in the footwear industry with a mission to provide the highest quality, longest lasting, and most comfortable boots in the world. Techno Boots has invested in the latest German DESMA machine technology and works with top raw material suppliers .All Techno Boots models are CE-certified and meet the highest safety standards. The current production capacity is over half a million pairs a year. Techno Boots applies ISO 9001 standards and follows strict health and safety regulations. Techno Boots manufactures the world's most comfortable boots in Turkey for export to over 50 countries worldwide. Our company manufactures polyurethane boots in Turkey for export to over 50 countries, tailored for various sectors such as agriculture, dairy farming, food processing, abattoirs, commercial fishing, aquaculture, construction, mining, oil and gas, general industry, gardening, hunting, leisure, and cold stores. Techno Boots are produced with the best BASF polyurethane raw material Elastopan, which makes them super light, very comfortable, strong, durable, and flexible and offers excellent thermal insulation. Also with a competitive pricing policy, Techno Boots offers great value for money and significant cost savings.





Made of **Elastopan<sup>®</sup>** provided by **BASF**  
The Chemical Company

The Techno Boots are manufactured using the best Elastopan polyurethane raw material available from BASF. Polyurethane guarantees you long-lasting comfort.

## OUTSOLE TYPES

TROYA MODELS



PU/PU SOLES

TROYA MODELS



PU/PU SOLES SELF-CLEANING

TROYA MODELS



PU/TPU SOLES

JOBMASTER MODELS



PU/TPU SOLES

THERMO MODELS



PU/PU SOLES

SUPERTHERMO MODELS



PU/TPU SOLES

## WHAT MAKES TECHNO BOOTS THE MOST COMFORTABLE BOOTS IN THE WORLD?

SLIP RESISTANT	WATER PROOF
MAX COMFORT	ENERGY ABSORBING
ANTI STATIC	COLD RESISTANT -30° C -22° F
PROTECTIVE TOE CAP	OIL RESISTANT

RED FABRIC RIBBON/ LACES

PULL-ON TABS FOR EASY ON AND OFF

ORTHOPEDIC INSOLES/FOOTBEDS







STEEL TOE CAP (OPTIONAL)

STEEL MIDSOLE (OPTIONAL)

OUTSOLE

## ADVANTAGES OF ELASTOPAN POLYURETHANE BASF BOOTS IN COMPARISON WITH PVC AND RUBBER BOOTS

- Elastopan polyurethane form BASF material makes the boots lightweight and thermally insulating. It also provides flexibility and strength.
- Elastopan polyurethane form BASF guarantees you long-lasting comfort.
- Elastopan polyurethane form BASF is a flexible material offering a unique comfort.
- No breaking or cracking in cold temperature or extreme temperature changes.
- Elastopan polyurethane form BASF offers a superior durability.



# TECHNO BOOTS

## TROYA

These boots are crafted from flexible, high-quality polyurethane. They provide superior grip and thermal insulation to keep your feet dry, comfortable, and protected in extreme temperatures.

# TECHNO BOOTS

### TROYA ULTRAGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



SR outsole : strong grip for the best safety even on wet surfaces. Abrasion resistant outsole.

Outsole designed for stability and grip in all terrains.

No braking or cracking in cold temperatures or with extreme temperature changes.

Flexible lightweight soft touch material ; perfect standard fit.

Antistatic, antibacterial inner liner.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F.

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

SHAFT COLOR WHITE

SOLE COLOR BLUE

METERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022, SR CI FO

05-EN ISO 20347:2022, SR CI FO

S4-EN ISO 20345:2022, SR CI FO

S5-EN ISO 20345:2022, SR CI FO

### TROYA XTREMEGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



SR outsole : strong grip for the best safety even on wet. Abrasion resistant outsole.

Anti clog / selfcleaning tread pattern which helps spit out any debris, mud, food pieces,stones.

Red TPU area improves outsole performance by 10%.

Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.

Extra light : energizes your feet – all day wearer comfort.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

SHAFT COLOR GREEN

SOLE COLOR BLACK

METERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022, SR CI FO

05-EN ISO 20347:2022, SR CI FO

S4-EN ISO 20345:2022, SR CI FO

S5-EN ISO 20345:2022, SR CI FO

COLOR OPTIONS

TROYA SERIES

FEATURES

FEATURES

## TROYA RIGGER XTREMEGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



- SR outsole : strong grip for the best safety even on wet surfaces. Abrasion resistant outsole.
- Outsole designed for stability and grip in all terrains.
- No braking or cracking in cold temperatures or with extreme temperature changes.
- Flexible lightweight soft touch material ; perfect standard fit.
- Antistatic, antibacterial inner liner.
- 100 % waterproof for warm and dry feet.
- CI : Cold insulation certificates -30 °C / -22 °F.
- Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.
- Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

### FEATURES

SHAFT COLOR BLACK

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022, SR CI FO 05-EN ISO 20347:2022, SR CI FO S4-EN ISO 20345:2022, SR CI FO S5-EN ISO 20345:2022, SR CI FO

**TECHNO**  
BOOTS

**TECHNO**  
BOOTS

## TROYA BOOTIE ULTRAGRIP

SIZES US 3-16 UK 3.5-14 EU 36-49



- SR outsole : strong grip for the best safety even on wet surfaces. Abrasion resistant outsole.
- Outsole designed for stability and grip in all terrains.
- No braking or cracking in cold temperatures or with extreme temperature changes.
- Flexible lightweight soft touch material ; perfect standard fit.
- Antistatic, antibacterial inner liner.
- 100 % waterproof for warm and dry feet.
- CI : Cold insulation certificates -30 °C / -22 °F.
- Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.
- Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

### FEATURES

SHAFT COLOR WHITE

SOLE COLOR BLUE

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022, SR CI FO 05-EN ISO 20347:2022, SR CI FO S4-EN ISO 20345:2022, SR CI FO S5-EN ISO 20345:2022, SR CI FO

## TROYA RIGGER ALASKA XTREMEGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



- Techno Rigger Alaska with thermo inner lining made of 30% wool, 30% acrylic and 40% polyester for additional warmth.
- Red TPU area improves outsole performance by 10%.
- Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.
- Outsole designed for stability and grip in all terrains.
- Extra light : energizes your feet – all day wearer comfort.
- Kick-off spur : take your boots off with ease.
- 100 % waterproof for warm and dry feet.
- CI : Cold insulation certificates -30 °C / -22 °F.
- Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.
- Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

### FEATURES

SHAFT COLOR GREEN

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022, SR CI FO 05-EN ISO 20347:2022, SR CI FO S4-EN ISO 20345:2022, SR CI FO S5-EN ISO 20345:2022, SR CI FO



TROYA SERIES

COLOR OPTIONS

TROYA SERIES



**WEIGHT OF THE WORLD'S MOST COMFORTABLE BOOTS**

Weight (+/- for size 42) O4 : 1.68 Kgs / Pair  
 Weight (+/- for size 42) S4 : 1.76 Kgs / Pair  
 Weight (+/- for size 42) S5 : 1.83 Kgs / Pair



**WEIGHT OF THE WORLD'S MOST COMFORTABLE BOOTS**

Weight (+/- for size 42) O4 : 1.68 Kgs / Pair  
 Weight (+/- for size 42) S4 : 1.76 Kgs / Pair  
 Weight (+/- for size 42) S5 : 1.83 Kgs / Pair



Red TPU supported sole tread pattern for the best antislip ratings and longer durability/redTPU area improves outsole performance by 10%

SR outsole for stability and grip in all terrains

Sole resistant to oils, fats, acids and organic solvents

Kick-off spur : Take your boots of with ease

Energy absorbing heel

Steel antiperforation midsole (optional)

Antistatic material

Steel toecap (optional)

Excellent grip on the most slippery surfaces

SR outsole for stability and grip in all terrains

Sole resistant to oils, fats, acids and organic solvents

Kick-off spur : Take your boots of with ease

Energy absorbing heel

Steel antiperforation midsole (optional)

Antistatic material

Steel toecap (optional)

TROYA SERIES

TROYA SERIES



Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect.

Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect.

## JOBMASTER

Polyurethane boots tailored for various sectors, including agriculture, dairy farming, food processing, abattoirs, commercial fishing, aquaculture, construction, mining, the oil and gas industry, general industry, gardening, hunting, leisure activities and cold stores.



COLOR OPTIONS



JOBMASTER SERIES

### JOBMASTER XTREMEGRIP

**SIZES** EU 36-49 UK 3.5-14 US 3-16



SR outsole : strong grip for the best safety even on wet surfaces. Abrasion resistant outsole.

Anti clog / selfcleaning tread pattern which helps spit out any debris, mud, food pieces, stones.

Red TPU area improves outsole performance by 10%.

Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.

Extra light : energizes your feet – all day wearer comfort.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F.

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

FEATURES

**SHAFT COLOR** GREEN

**SOLE COLOR** BLACK

**METERIAL** POLYURETHANE (BASF)

04-EN ISO 20347:2022+A1:2024, SR CI FO 05-EN ISO 20347:2022+A1:2024, SR CI FO S4-EN ISO 20345:2022+A1:2024, SR CI FO S5-EN ISO 20345:2022+A1:2024, SR CI FO

### JOBMASTER RIGGER XTREMEGRIP

**SIZES** EU 36-49 UK 3.5-14 US 3-16



SR outsole : strong grip for the best safety even on wet. Abrasion resistant outsole.

Anti clog / selfcleaning tread pattern which helps spit out any debris, mud, food pieces, stones.

Red TPU area improves outsole performance by 10%.

Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.

Extra light : energizes your feet – all day wearer comfort.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F.

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

FEATURES

**SHAFT COLOR** BLACK

**SOLE COLOR** BLACK

**METERIAL** POLYURETHANE (BASF)

04-EN ISO 20347:2022+A1:2024, SR CI FO 05-EN ISO 20347:2022+A1:2024, SR CI FO S4-EN ISO 20345:2022+A1:2024, SR CI FO S5-EN ISO 20345:2022+A1:2024, SR CI FO



## JOBMASTER RIGGER ALASKA XTREMEGRIP



## WEIGHT OF THE WORLD'S MOST COMFORTABLE BOOTS

SIZES EU 36-49 UK 3.5-14 US 3-16



Weight (+/- for size 42) O4 : 1.61 Kgs / Pair  
 Weight (+/- for size 42) S4 : 1.67 Kgs / Pair  
 Weight (+/- for size 42) S5 : 1.79 Kgs / Pair



Rigger Alaska with thermo inner lining made of 30% wool, 30% acrylic and 40% polyester for additional warmth.  
 Red TPU area improves outsole performance by 10%.  
 Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.  
 Outsole designed for stability and grip in all terrains.  
 Extra light : energizes your feet – all day wearer comfort.  
 Kick-off spur : take your boots off with ease.  
 100 % waterproof for warm and dry feet.  
 CI : Cold insulation certificates -30 °C / -22 °F.  
 Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.  
 Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

FEATURES

SHAFT COLOR GREEN

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022+A1:2024, SR CI FO 05-EN ISO 20347:2022+A1:2024, SR CI FO S4-EN ISO 20345:2022+A1:2024, SR CI FO S5-EN ISO 20345:2022+A1:2024, SR CI FO

## JOBMASTER TECHNO SHOE



SIZES EU 36-49 UK 3.5-14 US 3-16



SR outsole : strong grip for the best safety even on wet. Abrasion resistant outsole.  
 Anti clog / selfcleaning tread pattern which helps spit out any debris, mud, food pieces, stones.  
 Red TPU area improves outsole performance by 10%.  
 Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.  
 Extra light : energizes your feet – all day wearer comfort.  
 100 % waterproof for warm and dry feet.  
 CI : Cold insulation certificates -30 °C / -22 °F.  
 Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.  
 Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.


FEATURES

SHAFT COLOR WHITE

SOLE COLOR BLUE

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022+A1:2024, SR CI FO 05-EN ISO 20347:2022+A1:2024, SR CI FO S4-EN ISO 20345:2022+A1:2024, SR CI FO S5-EN ISO 20345:2022+A1:2024, SR CI FO



Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect.

COLOR OPTIONS

JOBMASTER SERIES

JOBMASTER SERIES

## JOBMASTER+

Techno Boots are developed according to the latest safety standards. Cost savings and value for money guaranteed thanks to superior durability, comfort, safety.



### JOBMASTER+ XTREMEGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



- Non-metallic toe cap (optional) and Kevlar Antiperforation Midsole (Optional)
- SR outsole : strong grip for the best safety even on wet. Abrasion resistant outsole.
- Anti clog / selfcleaning tread pattern which helps spit out any debris, mud, food pieces, stones.
- Red TPU area improves outsole performance by 10%.
- Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.
- Extra light : energizes your feet – all day wearer comfort.
- 100 % waterproof for warm and dry feet.
- CI : Cold insulation certificates -30 °C / -22 °F
- Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

SHAFT COLOR GREEN

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2011, SRC CI

05-EN ISO 20347: 2011, SRC CI

S4-EN ISO 20345: 2011, SRC CI

S5-EN ISO 20345: 2011, SRC CI

COLOR OPTIONS




### WEIGHT OF THE WORLD'S MOST COMFORTABLE BOOTS

Weight (+/- for size 42) O4 : 1.61 Kgs / Pair  
 Weight (+/- for size 42) S4 : 1.67 Kgs / Pair  
 Weight (+/- for size 42) S5 : 1.79 Kgs / Pair



Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect.



Metal-Free Composite Toe Cap Protector (Optional)



JOBMASTER+

Kick-off spur : Take your boots off with ease

SR outsole for stability and grip in all terrains

Sole resistant to oils, fats, acids and organic solvents

Red TPU supported sole tread pattern for the best antislip ratings and longer durability/redTPU area improves outsole performance by 10%

Energy absorbing heel

Kevlar midsole (optional)



## THERMO

Various boot models are designed for specific environments, enhancing wearer comfort, stability, and endurance during prolonged standing.



### TECHNO THERMO -50°C ULTRAGRIP

SIZES EU 39-48 UK 6-13 US 6-15



Composite toe cap (Optional) and Kevlar Antiperforation Midsole (Optional)

CI : cold insulation certificate -50°C / -58°F

Anti clog – self cleaning outsole with the highest resistance against abrasion

No braking or cracking in cold temperatures or with extreme temperature changes

Techno THERMO boots keep your feet warm, dry and comfortable

Removable orthopedic footbeds for extra comfort

Antistatic & antibacterial inner liner

Thick outsole : extra high thermal insulation for extra warm feet

Flexible soft touch material : perfect fit

100 % waterproof for warm and dry feet.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

SHAFT COLOR BLACK

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022+A1:2024, SR CI FO 05-EN ISO 20347:2022+A1:2024, SR CI FO S4-EN ISO 20345:2022+A1:2024, SR CI FO S5-EN ISO 20345:2022+A1:2024, SR CI FO



COLOR OPTIONS

THERMO

### WEIGHT OF THE WORLD'S MOST COMFORTABLE BOOTS


Weight (+/- for size 42) O4 : 2.42 Kgs / Pair

Weight (+/- for size 42) S4 : 2.50 Kgs / Pair

Weight (+/- for size 42) S5 : 2.57 Kgs / Pair



Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect.



Antistatic material

Energy absorbing heel

Kick-off spur: Take your boots off with ease.

Outsole resistant to oils, fats, organic solvents and a variety of chemicals.

Excellent grip on the most slippery surfaces

Anti clog / selfcleaning, water channeling outsole

Composite toecap (optional)

Kevlar antiperforation midsole (optional)



## SUPER THERMO

Wearing Wellington boots in the autumn or winter will keep your feet at the optimum temperature for comfort.



### TECHNO SUPER THERMO -70°C XTREMEGRIP

SIZES EU 39-48 UK 6-13 US 6-15



Composite toe cap and Kevlar Antiperforation Midsole  
 CI : Cold Insulation - 70°C / -94°F  
 100 % waterproof for warm and dry feet  
 SR outsole (detergent solution (NaLS) and glycerine on the ceramic surfaces) : strong grip for the best safety even on wet surfaces  
 Anti clog / selfcleaning tread pattern which helps spit out any debris, mud, food pieces, stones, ... as you walk  
 Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability  
 Red TPU area improves outsole performance by 10%  
 No braking or cracking in cold temperatures or with extreme temperature changes  
 Outsole designed for stability and grip in all terrains  
 Antistatic Antibacterial inner liner Kick-off spur : take your boots off with ease  
 Abrasion resistant outsole Extra light : energizes your feet Flexible soft touch material : perfect fit  
 Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect

FEATURES

SHAFT COLOR GREEN

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022+A1:2024, SR CI FO 05-EN ISO 20347:2022+A1:2024, SR CI FO S4-EN ISO 20345:2022+A1:2024, SR CI FO S5-EN ISO 20345:2022+A1:2024, SR CI FO

COLOR OPTIONS




### WEIGHT OF THE WORLD'S MOST COMFORTABLE BOOTS

Weight (+/- for size 42) O4 : 2.42 Kgs / Pair  
 Weight (+/- for size 42) S4 : 2.57 Kgs / Pair  
 Weight (+/- for size 42) S5 : 2.70 Kgs / Pair



Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect.



SUPER THERMO



Red TPU supported thread pattern for the best antislip ratings and longer durability /red TPU area improves outsole performance by 10%.

Kevlar antiperforation midsole

Energy absorbing heel

Anti clog / selfcleaning, water channelling thread pattern which helps spit out any debris, mud, food pieces, stones as you walk

Excellent grip on the most slippery surfaces



Notified Body: 2777 SATRA customer number: F21294

## EU Type-Examination Certificate

Certificate number: 2777/25133-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

**Product Ref:** Techno Boots Troysa 55 SR CI FO  
**Description:** Half Knee Boot (Design C PU0155405TPU - Rigger)  
**Design Type:** PU Upper  
**Upper:** PU Coated Polyester Fabric  
**Stocking:** N/A  
**Lining:** Metallic (ISO 1631)  
**Perforation Resistance:** Metallic (ISO 4522)  
**Toe Protection:** Metallic (ISO 522)  
**Construction:** Entirely Moulded  
**Mount Reference:** Troysa TPU  
**Sole:** PU Sole with Red TPU Insert  
**Insock/Foatbed:** Full Length Textile Coated PU Footbed  
**Size Range:** European 36-49, UK 3.5-14  
**Upper Colour Variants:** Khaki (Dark Green), Black, Red, Orange, Yellow, Navy Blue, or White  
**Sole Colour Variants:** Black or Navy Blue

**Classification:** EN ISO 20345:2022 S5 SR CI FO

Standards/Technical specifications applied: EN ISO 20345:2022

Technical reports/Approval documents: Karadeniz Teknik: 2309079-R2, 2309081, 2309082-R2, 2309083-R2, 2309085-R2, 2311044, 2311017, 2311031, 2311038, 2312001, R00001: 4253710EB, S05: TR262286-RV1, TASEV: 230001830-REV01, 230001799, Anz.Lab: 2100014978, 2300031649, 2300042356, 2400000609

Date first issued: 12/12/2023  
 Date of issue: 23/02/2024  
 Expiry date: 23/02/2029

Signed on behalf of SATRA: Geoff Graham

Notified Body: 2777 SATRA customer number: F21294

## EU Type-Examination Certificate

Certificate number: 2777/25880-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

**Product Ref:** Techno Boots Jobmaster 55 SR CI FO  
**Description:** Half Knee Boot (Design C - JB0155405TPU - Wellington)  
**Design Type:** PU Upper  
**Upper:** PU Coated Polyester Fabric  
**Stocking:** N/A  
**Lining:** Metallic (ISO 1631)  
**Perforation Resistance:** Metallic (ISO 4522)  
**Toe Protection:** Metallic (ISO 522)  
**Construction:** Entirely Moulded  
**Mount Reference:** Jobmaster TPU  
**Sole:** PU Sole with Red TPU Insert  
**Insock/Foatbed:** Full Length Textile Coated PU Footbed  
**Size Range:** European 36-49, UK 3.5-14  
**Upper Colour Variants:** Khaki (Dark Green), Black, Red, Orange, Yellow, Navy Blue, or White  
**Sole Colour Variants:** Black or Navy Blue

**Classification:** EN ISO 20345:2022+A1:2024 S5 SR CI FO

Standards/Technical specifications applied: EN ISO 20345:2022+A1:2024

Technical reports/Approval documents: SATRA: FTW03408422021/Issue 2, FTW0347602/23131, Karadeniz Teknik: 2309085-R2, 2311017, 2311033, 2311038, 2404204, 2404206, 2404208, 2405042-T1, R00001: 4253710EB, 4303025E, S05: TR2389499-RV1, TASEV: 200001480-ING, 220001082, 2300000340, Anz.Lab: 2100014978, 2300031649, 2300042356, 2400000609

Date first issued: 02/07/2024  
 Date of issue: 02/07/2024  
 Expiry date: 02/07/2029

Signed on behalf of SATRA: Maia Ryan

CSA GROUP

## Certificate of Compliance

Certificate: 80116534 Master Contract: 302751  
 Project: 80232973 Date Issued: 2025-03-03  
 Issued to: CMF AYAKKABICILIK SAN VE TIC. AS.  
 Credit Alpaşa Mah.  
 Seymen Yolu Cad. LKM No: 9/1  
 Marmara Eregli, Tekirdag 59740  
 Turkey

The products listed below are eligible to bear the CSA Mark shown

Issued by: Patrik Charbonneau, Patrik Charbonneau, P.T.

CSA Z195-14 ASTM F2413-24

Class 7231 01 OCCUPATIONAL HEALTH AND SAFETY PRODUCTS - Footwear  
 Class 7231 01 OCCUPATIONAL HEALTH AND SAFETY PRODUCTS - Footwear - Certified to US Standards

The following products are in compliance with CSA Z195-14 under class 7231-01:

Model(s)	Men's/Women's US Sizes	Grade 1 Toe Protection	Protective Sole
JOBMASTER	M 3 to 16	X	(optional)
SUPER THERMO	M 6 to 13	X	X

The following products are in compliance with ASTM F2413-24 under class 7231-01:

Model(s)	Men's/Women's US Sizes	Impact/Compression/Toe Protection (IC)	Puncture Resistance (PR)
TROYSA	M 3 to 16	X	(optional)
JOBMASTER	M 3 to 16	X	(optional)
SUPER THERMO	M 6 to 13	X	X

CSA Z195-14:2014-06-30 © 2025 CSA Group. All rights reserved. Page 1

bsi. Benchmark Certificate

This is to certify that: CMF AYAKKABICILIK SAN TIC A.S.  
 Credit Alpaşa Mah.  
 Seymen Yolu Cad.No:9/1  
 Marmara Eregli Tekirdag  
 59740  
 Turkey

Hold Certificate Number: BMP 821255

In respect of:  
 AS 2210.3:2019 - Personal protective equipment Safety footwear (ISO 20345:2011, MOD)  
 AS 2210.5:2019 - Personal protective equipment Safety footwear (ISO 20347:2012, MOD)

Is authorised to use the BSI registered Benchmark Product Certification Trademark, on products identified in the Product Certification Schedule that is attached to this Product Certification certificate. Such products have been Type Tested and are manufactured under the Product Certification Requirements monitored by BSI to ensure that the manufacturing process has the capability to consistently produce products in compliance with and are certified to the above standard(s).

For and on behalf of BSI: Charlene Loo, Managing Director, BSI Group Australia & New Zealand  
 Latest Issue: 2025-05-06 Expiry Date: 2030-05-05

JAS-ANZ benchmark PRODUCT CERTIFICATION

Page 1 of 6

Notified Body: 2777 SATRA customer number: F21294

## EU Type-Examination Certificate

Certificate number: 2777/26395-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

**Product Ref:** Techno SUPER THERMO Boots ST55407TPU SSL SR CI FO  
**Description:** Knee Boot Design D - Wellington  
**Design Type:** PU Upper  
**Upper:** Red PU Coated Polyester Fabric  
**Stocking:** Non-Metallic: Topcap PALADIN 031  
**Toe Protection:** Non-Metallic: Insert PRIMATEX Multiprotective Flexible Red  
**Perforation Resistance:** Entirely Moulded  
**Construction:** THERMO TPU  
**Sole Reference:** PU Sole with Red TPU Insert  
**Sole:** PU Sole with Red TPU Insert  
**Insock/Foatbed:** Full Length Red Textile Coated Blue PU Footbed  
**Size Range:** European 30-48, UK 6-13  
**Upper Colour Variants:** Khaki (Dark Green), Black, Red, Orange, Yellow, Navy Blue, or White  
**Sole Colour Variants:** Black or Navy Blue

**Classification:** EN ISO 20345:2022+A1:2024 SSL SR CI FO

Standards/Technical specifications applied: EN ISO 20345:2022+A1:2024

Technical reports/Approval documents: Anz.Lab: 2300031649, 2400006009, Karadeniz Teknik: 2309085-R2, 2311017, 2311036, 2401083-R1, 2404011, 2404013-R2, 2406043-R1, 2409116, 2410030, 2411001, R00001: 4252404E, S05: TR2407138, TASEV: 240001911-REV01

Date first issued: 12/11/2024  
 Date of issue: 12/11/2024  
 Expiry date: 12/11/2029

Signed on behalf of SATRA: Maia Ryan

Notified Body: 2777 SATRA customer number: F21294

## EU Type-Examination Certificate

Certificate number: 2777/26397-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

**Product Ref:** Techno THERMO Boots THRM540 SSL SR CI FO  
**Description:** Knee Boot Design D - Wellington  
**Design Type:** PU Upper  
**Upper:** Red PU Coated Polyester Fabric  
**Stocking:** Non-Metallic: Topcap PALADIN 031  
**Toe Protection:** Non-Metallic: Insert PRIMATEX Multiprotective Flexible Red  
**Perforation Resistance:** Entirely Moulded  
**Construction:** Ultra Grip  
**Sole Reference:** PU Sole  
**Sole:** PU Sole  
**Insock/Foatbed:** Full Length Red Textile Coated Blue PU Footbed  
**Size Range:** European 30-48, UK 6-13  
**Upper Colour Variants:** Khaki (Dark Green), Black, Red, Orange, Yellow, Navy Blue, or White  
**Sole Colour Variants:** Black or Navy Blue

**Classification:** EN ISO 20345:2022+A1:2024 SSL SR CI FO

Standards/Technical specifications applied: EN ISO 20345:2022+A1:2024

Technical reports/Approval documents: Anz.Lab: 2300031649, 2400006009, Karadeniz Teknik: 2309085-R2, 2311017, 2311036, 2401083-R1, 2401084-R2, 2402047, 2406043-R1, 2409045, 2409091-R1, 2410030, 2411001, R00001: 4252404E, S05: TR2437811, TASEV: 240001911-REV01

Date first issued: 12/11/2024  
 Date of issue: 12/11/2024  
 Expiry date: 12/11/2029

Signed on behalf of SATRA: Maia Ryan

