



ABOUT US

CMF Footwear was built on a foundation of 25 years of experience in footwear with the mission to provide top quality polyurethane safety wellington boots combined with utmost safety and comfort. Having invested with the latest DESMA technology and finest raw materials, our goal is to continuously improve and raise the standards of the market. With this in mind, all of CMF's products are strictly tested and CE certified by the world renowned PFI Institute.

Currently producing with an annual capacity of over half a million pairs, CMF Footwear applies ISO 9001 standards while following rigorous safety and health regulations.



POLYURETHANE WELLINGTONS



Shock-Absorbing Heel For Better Comfort





Kick-off Spur For Easy Removal

ECHNO







WITH TPU OUTSOLE



- * Anti-Bacterial
- Anti-Static
- * Washable
- Odour Resistant
- Slip Resistant
- Wear Resistant
- Techno Boots are ultra light. No more heavy or tired legs after a hard day's work!
- Techno Boots offer unique durability lasting three or four times longer than PVC or rubber boots.
- Elastopan thermal-insulating material in cold places up to -30°C
 No sweaty feet in summer no cold feet in winter!
- Flexible material. In cold temperatures, constant temperature variations, no cracking or breaking will occur.

























HEAT



PROTECTIVE TOE CAP + MIDSOLE

PROTECTIVE TOECAP

ENERGY ABSORBING

ANTISTATIC

COMFORT

ANKLE PROTECTION

COLD RESISTANT

OIL RESISTANT

CHEMICAL

ATER







Durability, Safety and Comfort for all work environments, combined into one.

Sizes: 36 - 49 Options

04-EN ISO 20347:2011,SRC



05-EN ISO 20347:2011,SRC

S4-EN ISO 20345:2011,SRC

S5-EN ISO 20345:2011,SRC



Color Varieties are Available.







04-EN ISO 20347:2011,SRC

05-EN ISO 20347:2011,SRC



S4-EN ISO 20345:2011,SRC









Durability, Safety and Comfort for all work environments, combined into one.

Sizes: 36 - 49 Options

HTS TECHNOLOGY

H: Hygene

T: Tracking 04-EN ISO 20347:2011,SRC

S: System

05-EN ISO 20347:2011,SRC

S4-EN ISO 20345:2011,SRC



- Contamination risk is minimized
- Tracking chip which contains wearer's data
- Once stepped into the disinfectant pool the user's data and time is tracked









Durability, Safety and Comfort for all work environments, combined into one.

Sizes: 36 - 49 Options



04-EN ISO 20347:2011,SRC

05-EN ISO 20347:2011,SRC

S4-EN ISO 20345:2011,SRC











Durability, Safety and Comfort for all work environments, combined into one.

Sizes: 36 - 49 Options



04-EN ISO 20347:2011,SRC

05-EN ISO 20347:2011,SRC

S4-EN ISO 20345:2011,SRC











RIGGER

Durability, Safety and Comfort for all work environments, combined into one.

Sizes: 36 - 49 Options



04-EN ISO 20347:2011,SRC

05-EN ISO 20347:2011,SRC











TROYA

SERIES

ALASKA

Durability, Safety and Comfort for all work environments, combined into one.

Sizes: 36 - 49 Options

04-EN ISO 20347:2011,SRC

05-EN ISO 20347:2011,SRC

S4-EN ISO 20345:2011,SRC









TECHNO

TECHNO



TROYA

SERIES

Durability, Safety and Comfort for all work environments, combined into one.

Sizes: 36 - 49 Options

TROYA WITH GREY LACES

- FABRIC
- WATERRESISTANT

TROYA WITH CAMOUFLAGE LACES

- FABRIC
- WATERRESISTANT

04-EN ISO 20347:2011,SRC 05-EN ISO 20347:2011,SRC S4-EN ISO 20345:2011,SRC S5-EN ISO 20345:2011,SRC











Durability, Safety and Comfort for all work environments, combined into one.

Sizes: 36 - 49 Options



04-EN ISO 20347:2011,SRC



05-EN ISO 20347:2011,SRC

S4-EN ISO 20345:2011,SRC

S5-EN ISO 20345:2011,SRC

Color Varieties are Available.







- Innovative heel-tab for easy removal
 - Shock absorbing heel
 - Mineral, organic and chemical resistant
 - Fuel-oil resistant sole
 - Moisture absorbing
 - Customizable boot height
 - Water-channeling, tire tread-inspired soles



04-EN ISO 20347:2011,SRC 05-EN ISO 20347:2011,SRC S4-EN ISO 20345:2011,SRC S5-EN ISO 20345:2011,SRC







- Shock absorbing heel
 - Mineral, organic and chemical resistant
 - Fuel-oil resistant sole
 - Electrical resistant
 - Moisture absorbing
 - Customizable boot height
 - Water-channeling, tire tread-inspired soles





04-EN ISO 20347:2011,SRC 05-EN ISO 20347:2011,SRC S4-EN ISO 20345:2011,SRC S5-EN ISO 20345:2011,SRC







The comfort of summer in water with Techno boots

Sizes: 31 - 41 Options



Color Varieties are Available.

CERTIFICATIONS











KIDS SERIES



TROYA



EFES SERIES



LADIES SERIES







































OLYMPOS















SLIP RESISTANT PROTECTIVE PROTECTIVE
OUTSOLE TOE CAP
+ MIDSOLE

STORY
TOECAP

ENERGY ABSORBING

ANTISTATIC

COMFORT

PROTECTION RESISTANT

OIL RESISTANT CHEMICAL OUTSOLE

RESISTANT

WATER PROOF

HEAT RESISTANT

