

TECHNO
BOOTS

+90 282 613 32 15 info@cmfboots.com techno_boots www.techno-boots.com

Cedit Alipaşa Mah. Seymen Yolu Üzeri 1 Km No:9 Marmaraereğlisi / Tekirdağ / TÜRKİYE

20
25

PRODUCT CATALOGUE



PASSION MEETS PROFESSION



www.techno-boots.com

COMPANY HISTORY



ABOUT US

TECHNO BOOTS® is a registered trademark of CMF AYAKKABICILIK SAN.VE TIC A.Ş. in Turkey. Techno Boots is built on a foundation of 25 years in the footwear industry with a mission to provide the highest quality, longest lasting, and most comfortable boots in the world. Techno Boots has invested in the latest German DESMA machine technology and works with top raw material suppliers .All Techno Boots models are CE-certified and meet the highest safety standards. The current production capacity is over half a million pairs a year. Techno Boots applies ISO 9001 standards and follows strict health and safety regulations. Techno Boots manufactures the world's most comfortable boots in Turkey for export to over 50 countries worldwide. Our company manufactures polyurethane boots in Turkey for export to over 50 countries, tailored for various sectors such as agriculture, dairy farming, food processing, abattoirs, commercial fishing, aquaculture, construction, mining, oil and gas, general industry, gardening, hunting, leisure, and cold stores. Techno Boots are produced with the best BASF polyurethane raw material Elastopan, which makes them super light, very comfortable, strong, durable, and flexible and offers excellent thermal insulation. Also with a competitive pricing policy, Techno Boots offers great value for money and significant cost savings.





Made of **Elastopan[®]** provided by **BASF**
The Chemical Company

The Techno Boots are manufactured using the best Elastopan polyurethane raw material available from BASF. Polyurethane guarantees you long-lasting comfort.

OUTSOLE TYPES

TROYA
MODELS



PU/PU SOLES

TROYA
MODELS



PU/PU SOLES SELF-CLEANING

TROYA
MODELS



PU/TPU SOLES

JOBMASTER
MODELS



PU/TPU SOLES

THERMO
MODELS




PU/PU SOLES

SUPERTHERMO
MODELS



PU/TPU SOLES

WHAT MAKES TECHNO BOOTS THE MOST COMFORTABLE BOOTS IN THE WORLD?



RED FABRIC
RIBBON/ LACES

PULL-ON TABS FOR
EASY ON AND OFF



ORTHOPEDIC
INSOLES/FOOTBEDS

STEEL TOE CAP
(OPTIONAL)



STEEL MIDSOLE
(OPTIONAL)

OUTSOLE




ADVANTAGES OF ELASTOPAN POLYURETHANE BASF BOOTS IN COMPARISON WITH PVC AND RUBBER BOOTS


- Elastopan polyurethane from BASF material makes the boots lightweight and thermally insulating. It also provides flexibility and strength.
- Elastopan polyurethane from BASF guarantees you long-lasting comfort.
- Elastopan polyurethane from BASF is a flexible material offering a unique comfort.
- No breaking or cracking in cold temperature or extreme temperature changes.
- Elastopan polyurethane from BASF offers a superior durability.




EXCELLENT COLD INSULATION




FLEXIBILITY



MAXIMUM STRETCH



LIGHTWEIGHT



DURABILITY



TECHNO
BOOTS

TROYA

These boots are crafted from flexible, high-quality polyurethane. They provide superior grip and thermal insulation to keep your feet dry, comfortable, and protected in extreme temperatures.

TECHNO
BOOTS

COLOR OPTIONS



TROYA SERIES

TROYA ULTRAGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



SHAFT COLOR BLUE

SOLE COLOR BLUE

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022, SR CI FO

05-EN ISO 20347:2022, SR CI FO

S4-EN ISO 20345:2022, SR CI FO

S5-EN ISO 20345:2022, SR CI FO

SR outsole : strong grip for the best safety even on wet surfaces. Abrasion resistant outsole.

Outsole designed for stability and grip in all terrains.

No braking or cracking in cold temperatures or with extreme temperature changes.

Flexible lightweight soft touch material ; perfect standard fit.

Antistatic, antibacterial inner liner.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F.

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

FEATURES

TROYA XTREMEGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



SHAFT COLOR YELLOW

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022, SR CI FO

05-EN ISO 20347:2022, SR CI FO

S4-EN ISO 20345:2022, SR CI FO

S5-EN ISO 20345:2022, SR CI FO

SR outsole : strong grip for the best safety even on wet. Abrasion resistant outsole.

Anti clog / selfcleaning tread pattern which helps spit out any debris, mud, food pieces, stones.

Red TPU area improves outsole performance by 10%.

Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.

Extra light : energizes your feet – all day wearer comfort.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

FEATURES



TROYA RIGGER XTREMEGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



SR outsole : strong grip for the best safety even on wet surfaces. Abrasion resistant outsole.

Outsole designed for stability and grip in all terrains.

No braking or cracking in cold temperatures or with extreme temperature changes.

Flexible lightweight soft touch material ; perfect standard fit.

Antistatic, antibacterial inner liner.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F.

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

FEATURES

SHAFT COLOR BLACK

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022, SR CI FO

05-EN ISO 20347:2022, SR CI FO

S4-EN ISO 20345:2022, SR CI FO

S5-EN ISO 20345:2022, SR CI FO

TROYA RIGGER ALASKA XTREMEGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



Techno Rigger Alaska with thermo inner lining made of 30% wool, 30% acrylic and 40% polyester for additional warmth.

Red TPU area improves outsole performance by 10%.

Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.

Outsole designed for stability and grip in all terrains.

Extra light : energizes your feet – all day wearer comfort.

Kick-off spur : take your boots off with ease.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F.

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

FEATURES

SHAFT COLOR GREEN

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022, SR CI FO

05-EN ISO 20347:2022, SR CI FO

S4-EN ISO 20345:2022, SR CI FO

S5-EN ISO 20345:2022, SR CI FO

Techno
BOOTS

Techno
BOOTS

TROYA BOOTIE ULTRAGRIP

SIZES US 3-16 UK 3.5-14 EU 36-49



SR outsole : strong grip for the best safety even on wet surfaces. Abrasion resistant outsole.

Outsole designed for stability and grip in all terrains.

No braking or cracking in cold temperatures or with extreme temperature changes.

Flexible lightweight soft touch material ; perfect standard fit.

Antistatic, antibacterial inner liner.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F.

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

FEATURES

SHAFT COLOR WHITE

SOLE COLOR BLUE

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022, SR CI FO

05-EN ISO 20347:2022, SR CI FO

S4-EN ISO 20345:2022, SR CI FO

S5-EN ISO 20345:2022, SR CI FO



WEIGHT OF THE WORLD'S MOST COMFORTABLE BOOTS

WEIGHT OF THE WORLD'S MOST COMFORTABLE BOOTS

Weight (+/- for size 42) O4 : 1.68 Kgs / Pair
 Weight (+/- for size 42) S4 : 1.76 Kgs / Pair
 Weight (+/- for size 42) S5 : 1.83 Kgs / Pair

Weight (+/- for size 42) O4 : 1.68 Kgs / Pair
 Weight (+/- for size 42) S4 : 1.76 Kgs / Pair
 Weight (+/- for size 42) S5 : 1.83 Kgs / Pair



Red TPU supported sole tread pattern for the best antislip ratings and longer durability/redTPU area improves outsole performance by 10%

SR outsole for stability and grip in all terrains

Sole resistant to oils, fats, acids and organic solvents

Kick-off spur : Take your boots of with ease

Energy absorbing heel

Steel antiperforation midsole (optional)

Antistatic material

Steel toecap (optional)

Excellent grip on the most slippery surfaces

SR outsole for stability and grip in all terrains

Sole resistant to oils, fats, acids and organic solvents

Kick-off spur : Take your boots of with ease

Energy absorbing heel

Steel antiperforation midsole (optional)

Antistatic material

Steel toecap (optional)



Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect.

Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect.

JOBMASTER

Polyurethane boots tailored for various sectors, including agriculture, dairy farming, food processing, abattoirs, commercial fishing, aquaculture, construction, mining, the oil and gas industry, general industry, gardening, hunting, leisure activities and cold stores.



JOBMASTER XTREMEGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



SR outsole : strong grip for the best safety even on wet surfaces. Abrasion resistant outsole.

Anti clog / selfcleaning tread pattern which helps spit out any debris, mud, food pieces, stones.

Red TPU area improves outsole performance by 10%.

Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.

Extra light : energizes your feet – all day wearer comfort.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F.

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

SHAFT COLOR ORANGE

SOLE COLOR BLUE

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022+A1:2024, SR CI FO 05-EN ISO 20347:2022+A1:2024, SR CI FO S4-EN ISO 20345:2022+A1:2024, SR CI FO S5-EN ISO 20345:2022+A1:2024, SR CI FO

JOBMASTER RIGGER XTREMEGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



SR outsole : strong grip for the best safety even on wet. Abrasion resistant outsole.

Anti clog / selfcleaning tread pattern which helps spit out any debris, mud, food pieces, stones.

Red TPU area improves outsole performance by 10%.

Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.

Extra light : energizes your feet – all day wearer comfort.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F.

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

SHAFT COLOR BLACK

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022+A1:2024, SR CI FO 05-EN ISO 20347:2022+A1:2024, SR CI FO S4-EN ISO 20345:2022+A1:2024, SR CI FO S5-EN ISO 20345:2022+A1:2024, SR CI FO

COLOR OPTIONS

JOBMASTER SERIES

FEATURES

FEATURES

JOBMASTER RIGGER ALASKA XTREMEGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



Rigger Alaska with thermo inner lining made of 30% wool, 30% acrylic and 40% polyester for additional warmth.

Red TPU area improves outsole performance by 10%.

Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.

Outsole designed for stability and grip in all terrains.

Extra light : energizes your feet – all day wearer comfort.

Kick-off spur : take your boots off with ease.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F.

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

FEATURES

SHAFT COLOR GREEN

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022+A1:2024, SR CI FO 05-EN ISO 20347:2022+A1:2024, SR CI FO S4-EN ISO 20345:2022+A1:2024, SR CI FO S5-EN ISO 20345:2022+A1:2024, SR CI FO

JOBMASTER TECHNO SHOE

SIZES EU 36-49 UK 3.5-14 US 3-16



SR outsole : strong grip for the best safety even on wet. Abrasion resistant outsole.

Anti clog / selfcleaning tread pattern which helps spit out any debris, mud, food pieces, stones.

Red TPU area improves outsole performance by 10%.

Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.

Extra light : energizes your feet – all day wearer comfort.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F.

Safety : Steel toecap (S4) / Toe and midsole (S5) for optional protection.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

FEATURES

SHAFT COLOR WHITE

SOLE COLOR BLUE

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022+A1:2024, SR CI FO 05-EN ISO 20347:2022+A1:2024, SR CI FO S4-EN ISO 20345:2022+A1:2024, SR CI FO S5-EN ISO 20345:2022+A1:2024, SR CI FO

TECHNO
BOOTS

TECHNO
BOOTS

WEIGHT OF THE WORLD'S MOST COMFORTABLE BOOTS

Weight (+/- for size 42) O4 : 1.61 Kgs / Pair

Weight (+/- for size 42) S4 : 1.67 Kgs / Pair

Weight (+/- for size 42) S5 : 1.79 Kgs / Pair



Kick-off spur : Take your boots off with ease

SR outsole for stability and grip in all terrains

Sole resistant to oils, fats, acids and organic solvents


Red TPU supported sole tread pattern for the best antislip ratings and longer durability/redTPU area improves outsole performance by 10%

Antistatic material

Steel toecap (optional)

Energy absorbing heel

Steel antiperforation midsole (optional)



Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect.

COLOR OPTIONS

JOBMASTER SERIES

JOBMASTER SERIES



JOBMASTER+

Techno Boots are developed according to the latest safety standards. Cost savings and value for money guaranteed thanks to superior durability, comfort, safety.

JOBMASTER+ XTREMEGRIP

SIZES EU 36-49 UK 3.5-14 US 3-16



Non-metallic toe cap (optional) and Kevlar Antiperforation Midsole (Optional)

SR outsole : strong grip for the best safety even on wet. Abrasion resistant outsole.

Anti clog / selfcleaning tread pattern which helps spit out any debris, mud, food pieces, stones.

Red TPU area improves outsole performance by 10%.

Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability.

Extra light : energizes your feet – all day wearer comfort.

100 % waterproof for warm and dry feet.

CI : Cold insulation certificates -30 °C / -22 °F

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

SHAFT COLOR GREEN

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2011, SRC CI

05-EN ISO 20347: 2011, SRC CI

S4-EN ISO 20345: 2011, SRC CI

S5-EN ISO 20345: 2011, SRC CI

WEIGHT OF THE WORLD'S MOST COMFORTABLE BOOTS

Weight (+/- for size 42) O4 : 1.61 Kgs / Pair

Weight (+/- for size 42) S4 : 1.67 Kgs / Pair

Weight (+/- for size 42) S5 : 1.79 Kgs / Pair



Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect.



Steel toecap (optional)



Kick-off spur : Take your boots off with ease

SR outsole for stability and grip in all terrains

Sole resistant to oils, fats, acids and organic solvents

Red TPU supported sole tread pattern for the best antislip ratings and longer durability/redTPU area improves outsole performance by 10%

Energy absorbing heel

Steel antiperforation midsole (optional)

JOBMASTER+

COLOR OPTIONS




TECHNO
BOOTS

THERMO

Various boot models are designed for specific environments, enhancing wearer comfort, stability, and endurance during prolonged standing.

TECHNO THERMO -50°C ULTRAGRIP

SIZES EU 39-48 UK 6-13 US 6-15



Composite toe cap (Optional) and Kevlar Antiperforation Midsole (Optional)

CI : cold insulation certificate -50°C / -58°F

Anti clog – self cleaning outsole with the highest resistance against abrasion

No braking or cracking in cold temperatures or with extreme temperature changes

Techno THERMO boots keep your feet warm, dry and comfortable

Removable orthopedic footbeds for extra comfort

Antistatic & antibacterial inner liner

Thick outsole : extra high thermal insulation for extra warm feet

Flexible soft touch material : perfect fit

100 % waterproof for warm and dry feet.

Including 1 pair of orthopedic, washable, antibacterial, removable footbeds.

SHAFT COLOR BLACK

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022+A1:2024, SR CI FO 05-EN ISO 20347:2022+A1:2024, SR CI FO S4-EN ISO 20345:2022+A1:2024, SR CI FO S5-EN ISO 20345:2022+A1:2024, SR CI FO

WEIGHT OF THE WORLD'S MOST COMFORTABLE BOOTS

Weight (+/- for size 42) O4 : 2.42 Kgs / Pair

Weight (+/- for size 42) S4 : 2.50 Kgs / Pair

Weight (+/- for size 42) S5 : 2.57 Kgs / Pair

COLOR OPTIONS

THERMO

Antistatic material

Energy absorbing heel

Kick-off spur: Take your boots off with ease.

Outsole resistant to oils, fats, organic solvents and a variety of chemicals.

Excellent grip on the most slippery surfaces

Anti clog / selfcleaning, water channeling outsole

Composite toecap (optional)

Kevlar antiperforation midsole (optional)

Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect.



SUPER THERMO

Wearing Wellington boots in the autumn or winter will keep your feet at the optimum temperature for comfort.



TECHNO SUPER THERMO -70°C XTREMEGRIP

SIZES EU 39-48 UK 6-13 US 6-15



Composite toe cap and Kevlar Antiperforation Midsole
CI : Cold Insulation - 70°C / -94°F
100 % waterproof for warm and dry feet
SR outsole (detergent solution (NaLS) and glycerine on the ceramic surfaces) : strong grip for the best safety even on wet surfaces
Anti clog / selfcleaning tread pattern which helps spit out any debris, mud, food pieces, stones, ... as you walk
Red TPU supported selfcleaning sole tread pattern for the best antislip ratings and longer durability
Red TPU area improves outsole performance by 10%
No braking or cracking in cold temperatures or with extreme temperature changes
Outsole designed for stability and grip in all terrains
Antistatic Antibacterial inner liner Kick-off spur : take your boots off with ease
Abrasion resistant outsole Extra light : energizes your feet Flexible soft touch material : perfect fit
Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect

SHAFT COLOR GREEN

SOLE COLOR BLACK

MATERIAL POLYURETHANE (BASF)

04-EN ISO 20347:2022+A1:2024, SR CI FO 05-EN ISO 20347:2022+A1:2024, SR CI FO S4-EN ISO 20345:2022+A1:2024, SR CI FO S5-EN ISO 20345:2022+A1:2024, SR CI FO

WEIGHT OF THE WORLD'S MOST COMFORTABLE BOOTS

Weight (+/- for size 42) O4 : 2.42 Kgs / Pair
Weight (+/- for size 42) S4 : 2.57 Kgs / Pair
Weight (+/- for size 42) S5 : 2.70 Kgs / Pair



Including 1 free pair of orthopedic, washable, antibacterial, removable footbeds with arch support and a shock absorbing heel cushioning effect.

SUPER THERMO



Red TPU supported thread pattern for the best antislip ratings and longer durability /red TPU area improves outsole performance by 10%.

Kevlar antiperforation midsole


Energy absorbing heel

Antistatic material

Anti clog / selfcleaning, water channelling thread pattern which helps spit out any debris, mud, food pieces, stones as you walk

Composite toecap

Excellent grip on the most slippery surfaces



 	Issued to:	CMF Ayakkabıcılık San. ve Tic. A.Ş. Cecit Ali Paşa Mahallesi Seymen Yolu, Caddesi 1 km, No: 9/1 Marmara Eregli Tekirdag 59740 Turkey
Notified Body: 2777	SATRA customer number: P21204	

EU Type-Examination Certificate

Certificate number: 2777/25133-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product Ref: Techno Boots Troya S5 SR CI FO	Description: Design Type: Upper: Stocking: Lining: Perforation Resistance: Toe Protection: Construction: Mould Reference: Sole: Insole/Footbed: Size Range: Upper Colour Variants: Sole Colour Variants:	Half Kneel Boot (Design C PU0155405TPU - Rigger) Kneel Boot (Design D PU0155405TPU - Wellington) PU Upper PU Coated Polyester Fabric N/A Metallic ISCO 1631 Metallic Pelaidin S22 Entirely Moulded Troya TPU PU Sole with Red TPU Insert Full Length Textile Coated PU Footbed European 36-49, UK 3.5-14 Khaki (Dark Green), Black, Red, Orange, Yellow, Navy Blue, or White Black or Navy Blue
--	--	--

Classification:
EN ISO 20345:2022 S5 SR CI FO

Standards/Technical specifications applied:
EN ISO 20345:2022

Technical reports/Approval documents:
Karatonic Teknik; 2309079-R3, 2309081, 2309082-R2, 2309083-R2, 2309085-R2, 2311014, 2311017, 2311031, 2311038, 2312001, Rootest K253710ES, SGS: TR2362386-RV1, TASEV 230001630-REV01, 230001799, Azolab: 2100014976, 2300031646, 2300042356, 2400006009

Date first issued: 12/12/2023
Date of issue: 23/02/2024
Expiry date: 23/02/2029

Signed on behalf of SATRA:  **Geoff Graham**

Page 1 of 2

SATRA Technology Europe Limited, Broadview Business Park, Clonsilla, D15Y8N2, Republic of Ireland.

 	Issued to:	CMF Ayakkabıcılık San. ve Tic. A.Ş. Çeçit Ali Paşa Mahallesi Seymen Yolu Caddesi 1 km, No: B/1 Marmara Erişliği Tuzla 59740 Türkiye
Notified Body: 2777	SATRA customer number: P21294	
EU Type-Examination Certificate		
Certificate number: 2777/25880-01/E00-00		
This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.		
Product Ref: Technic Boots Jobmaster S5 SR CI FO	Description: Design Type: Upper: Stacking: Perforation Resistance: Toe Protection: Construction: Mould Reference: Sole: Insock/Footbed: Size Range: Upper Colour Variants: Sole Colour Variants:	Half Knee Boot (Design C - JB0155405TPU - Rigger) Knee Boot (Design C - JB0155407PU - Wellington) PU Upper: PU Coated Polyester Fabric Metall: ISCO 1631 Metall: ISCO 4522 Entirely Moulded Jobmaster TPU PU Sole with Red TPU Insert Full Length Textile Coated PU Footbed European 36-49, UK 3.5-14 Khaki (Dark Green), Black, Red, Orange, Yellow, Navy Blue, or White Black or Navy Blue
Classification: EN ISO 20345:2022+A1:2024 S5 SR CI FO		
Standards/Technical specifications applied: EN ISO 20345:2022+A1:2024 Technical reports/Approval documents: SATRA: FTW0324864/2202/1/Issue 2, FTW0347602/2213/1, Kardosoft Technik 2309035-FZ, 2311017, 2311033, 2311034, 2311038, 2404004, 2404006, 2404008, 2405042-71, Ricolett: 4253710EB, 4303025IE, SGS: TR2389499-RV1, Test: 200001480-NG, 220001082, 2300000340 AzotLab: 2100014979, 2300031649, 2300042356, 2400006069 Date first issued: 02/07/2024 Date of issue: 02/07/2024 Expiry date: 02/07/2029		
Signed on behalf of SATRA: 		Maia Ryan
Page 1 of 2		

SATRA Technology Europe Limited, Brackenhurst Business Park, Clonree, D15/Y2PQ, Republic of Ireland.



Certificate of Compliance

Certificate:	80116534	Master Contract:	302751
Project:	80232973	Date Issued:	2025-03-03
Issued to:	CMF AYAKKABICILIK SAN. VE TIC. AS. Credit Alipaşa Mah Seymen Yolu Cad. 1.KM No: 9/1 Marmara Ereğlisi, Tekirdağ 59740 Turkey		

The products listed below are eligible to bear the CSA Mark shown



CSA Z195-14



ASTM F2413-24

Issued by:
Patric Charbonneau
 Patric Charbonneau, P. T.

PRODUCTS

Class 7231 01 OCCUPATIONAL HEALTH AND SAFETY PRODUCTS - Footwear

Class 7231 81 OCCUPATIONAL HEALTH AND SAFETY PRODUCTS - Footwear - Certified to US Standards

The following products are in compliance with CSA Z195-14 under class 7231-01:

Model(s)	Men's/Women's US Sizes	Grade 1 Toe Protection	Protective Sole
JOEMASTER+	M 3 to 16	X	(optional)
SUPER THERMO	M 6 to 15	X	X

The following products are in compliance with ASTM F2413-24 under class 7231-81:

Model(s)	Men's/Women's US Sizes	Impact/Compression Toe Protection (I/C)	Puncture Resistance (PR)
TROYA	M 3 to 16	X	(optional)
JOEMASTER+	M 3 to 16	X	(optional)
SUPER THERMO	M 6 to 15	X	X

QID 1397 Rev 2019-08-30

© 2025 CSA Group. All rights reserved

Page 1

					
Benchmark Certificate					
This is to certify that:		CMF AYAKKABICILIK SAN TIC A.S Cedit Ali Paşa Mah. Seymen Yolu Cad.No:9/1 Marmara Ereglisi Tekirdag 59740 Turkey			
Holds Certificate Number:		BMP 821255			
In respect of:					
AS 2210.3:2019 - Personal protective equipment Safety footwear (ISO 20345:2011, MOD)					
AS 2210.5:2019 - Personal protective equipment Safety footwear (ISO 20347:2012, MOD)					
Is authorised to use the BSI registered Benchmark Product Certification Trademark, on products identified in the Product Certification Schedule that is attached to this Product Certification certificate. Such products have been Type Tested and are manufactured under the Product Certification Requirements monitored by BSI to ensure that the manufacturing process has the capability to consistently produce products in compliance with and are certified to the above standard(s).					
					
For and on behalf of BSI:		Charlene Loo, Managing Director, BSI Group Australia & New Zealand			
First Issued: 2025-05-06		Latest Issue: 2025-05-06		Expiry Date: 2030-05-05	
					
		Page: 1 of 6			
The use of this certificate and of the Benchmark Product Certification mark trademark is subject to the Client complying with the BSI Mark Requirements, and Terms and Conditions. BSI Group ANZ Pty Ltd, Suite 1, Level 1, 54 Waterloo Road, Manque Park, NSW 2113. The validity of this certificate can be checked at website: www.bsi-global.com/certidirectory and the JASANZ website: www.jas-anz.org/register. This certificate remains the property of BSI and must be returned upon its request.					

 	Issued to:	CMF Ayakkabıcılık San. ve Tic. A.Ş. Cedit Ali Paşa Mahallesi Seymen Yolu Cardaklı 1 km. No: 3/1 Marmara Eregli Tekirdağ 58740 Turkey
Notified Body: 2777	SATRA customer number: P21204	
EU Type-Examination Certificate		
Certificate number: 2777/26395-01/E00-00		
This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.		
Product Ref: Tectro SUPER THERMO Boots ST5540TPU S5L SR CI FO	Description: Design Type: Knew Boot Design D - Wellington Upper: PU Upper Stocking: Red PU Coated Polyester Fabric Toe Protection: Non-Metallic Toe-cap PALADIN Q31 Puncture Resistance: Non-Metallic Insert PRIMATEX Multi-protective Flexible Red Construction: Entirely Moulded Sole Reference: THERMO TPU Sole: PU Sole with Red TPU Insert Insole/Footbed: Full Length Red Textile Coloured Blue PU Footbed	
	Size Range: European 39-48, UK 6-13	
	Upper Colour Variants: Sole Colour Variants:	Khaki (Dark Green), Black, Red, Orange, Yellow, Navy Blue, or White Black or Navy Blue
Classification: EN ISO 20345:2022+A1:2024 S5L SR CI FO		
Standards/Technical specifications applied: EN ISO 20345:2022+A1:2024		
Technical reports/Approval documents: AzoLab: 2300031649, 2400006099, Karadeniz Teknik: 2300085-R2, 2311017, 2311038, 2401083-R1, 2404011, 2404013-R2, 2408042-R1, 2409116, 2410030, 2411001, Ricotest: 4252404/E, SGS: TR2467136, TAGEV: 2400001011-REV/01		
Signed on behalf of SATRA:	 Maia Ryan	Date first issued: 12/11/2024 Date of issue: 12/11/2024 Expiry date: 12/11/2029
Page 1 of 2		

SATRA Technology Europe Limited, Bradstone Business Park, Chichester, D157NDP, Republic of Ireland.

 	Issued to:	CMF Ayakkabıcılık San. ve Tic. A.Ş. Cedit Ali Paşa Mahallesi Seymen Yolu Caddeesi 1 km. No: 9/1 Marmara Eregli Teşekküp 59740 Turkey
Notified Body: 2777	SATRA customer number: P21294	
EU Type-Examination Certificate		
Certificate number: 2777/26397-01/E00-00		
This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.		
Product Ref: Techno THERMO Boots THRM500 S5L SR CI FO	Description: Design Type: Upper: Stocking: Toe Protection: Puncture Resistance: Construction: Sole Reference: Sole: Insole/Footbed: Size Range:	Knee Boot Design D - Wellington PU Upper Red PU Coated Polyester Fabric Non-Metallic ToeCap PALADIN 631 Non-Metallic Insert PRIMATEX Multi-protective Flexible Rod Entirely Moulded Ultra Grip PU Sole Full Length Red Textile Coated Blue PU Footbed European 39-48, UK 6-13
	Upper Colour Variants: Sole Colour Variants:	Khaki (Dark Green), Black, Red, Orange, Yellow, Navy Blue, or White Black or Navy Blue
Classification: EN ISO 20345:2022+A1:2024 S5L SR CI FO		
Standards/Technical specifications applied: EN ISO 20345:2022+A1:2024		
Technical reports/Approval documents: AztLab: 2300031649, 2400008099; Karadeniz Teknik: 2305085-R2, 2311017, 2311038, 2401083-R1, 2401084-R3, 2403047, 2408042-R1, 2408046, 2408091-R1, 2410030, 2411001, Ricerche: 4252404E, 4G5E, TR2437611, TASEV: 2405001911-REV01		
Signed on behalf of SATRA:	 Maitia Ryan	Date first issued: 12/11/2024 Date of issue: 12/11/2024 Expiry date: 12/11/2029
Page 1 of 2		

SATRA Technology Europe Limited, Stratford Business Park, Cleeve, OXFORD, Republic of Ireland.

